

Prepared for:
Aromaland Inc
1326 Rufina Cir.
Santa Fe, NM USA 87507

ESSENCE OF WELL BEING 1600MG PEPPERMINT

Batch ID or Lot Number: 012203EWB16XP	Test: Potency	Reported: 10Mar2022	USDA License: N/A
Matrix: Unit	Test ID: T000195903	Started: 08Mar2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 04Mar2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.540	5.183	8.260	0.30	# of Servings = 1, Sample Weight=29g
Cannabichromenic Acid (CBCA)	1.409	4.740	4.780	0.20	
Cannabidiol (CBD)	4.665	14.619	1725.700	59.50	
Cannabidiolic Acid (CBDA)	4.785	14.994	ND	ND	
Cannabidivarin (CBDV)	1.103	3.458	9.450	0.30	
Cannabidivarinic Acid (CBDVA)	1.996	6.255	ND	ND	
Cannabigerol (CBG)	0.875	2.943	86.330	3.00	
Cannabigerolic Acid (CBGA)	3.656	12.301	ND	ND	
Cannabinol (CBN)	1.141	3.839	ND	ND	
Cannabinolic Acid (CBNA)	2.494	8.393	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.355	14.655	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.956	13.309	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.505	11.792	ND	ND	
Tetrahydrocannabivarin (THCV)	0.795	2.676	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.091	10.401	ND	ND	
Total Cannabinoids			1834.520	63.26	
Total Potential THC			ND	ND	
Total Potential CBD			1725.700	59.51	

Final Approval



Jacob Miller
09Mar2022
02:14:00 PM MST

PREPARED BY / DATE



Hannah Wright
09Mar2022
02:18:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/32a353a0-3c58-4fbf-90d1-fbc180129d18>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
32a353a03c584fbf90d1fbc180129d18.1