

Prepared for:
Aromaland Inc
1326 Rufina Cir.
Santa Fe, NM USA 87507


MICRO 600MG ORANGE

Batch ID or Lot Number: 072203M600C	Test: Potency	Reported: 17Mar2022	USDA License: N/A
Matrix: Unit	Test ID: T000197137	Started: 16Mar2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Mar2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.579	4.881	ND	ND	# of Servings = 1, Sample Weight=29g
Cannabichromenic Acid (CBCA)	1.444	4.464	ND	ND	
Cannabidiol (CBD)	4.324	13.370	637.490	22.00	
Cannabidiolic Acid (CBDA)	4.435	13.713	ND	ND	
Cannabidivarin (CBDV)	1.023	3.162	5.590	0.20	
Cannabidivarinic Acid (CBDVA)	1.850	5.720	ND	ND	
Cannabigerol (CBG)	0.897	2.771	ND	ND	
Cannabigerolic Acid (CBGA)	3.748	11.584	ND	ND	
Cannabinol (CBN)	1.170	3.615	ND	ND	
Cannabinolic Acid (CBNA)	2.557	7.904	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.465	13.801	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.055	12.534	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.593	11.105	ND	ND	
Tetrahydrocannabivarin (THCV)	0.815	2.521	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.169	9.795	ND	ND	
Total Cannabinoids			643.080	22.18	
Total Potential THC			ND	ND	
Total Potential CBD			637.490	21.98	

Final Approval



Kayla Phye
17Mar2022
04:51:00 PM MDT

PREPARED BY / DATE



Ryan Weems
17Mar2022
04:52:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/d98d16eb-ec72-4b02-bd20-55bb642b4552>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

d98d16ebec724b02bd2055bb642b4552.1